EU regulation 1907/2006/EEC - (REACH)

Page: 1 of 6

01/08/2014

**Print Date:** 

## 1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### PRODUCT NAME:

LINEMARKER

**USE:** Open system operated by non trained consumer.

**APPLICATION CONDITIONS:** Linemarking Spray Paint. **SUPPLIER:** Blue Diamond STL

Sandall Stones Road Kirk Sandall Ind Estae

Doncaster DN3 1QR

#### 2. HAZARDS IDENTIFICATION

**MOST IMPORTANT HAZARDS:** Harmful to the aquatic environment. Vapours may cause drowsiness and

dizziness. Extremely flammable

**SPECIFIC HAZARDS:** Irritating to eyes. Repeated Exposure may cause skin dryness and cracking.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

IDENTIFICATION OF THE PREPARATION

A mixture of resins, pigments, mineral extenders, additives, organic solvents and organic gases.

CHEMICAL NAME	CAS-No	EC-No	CLASS	WEIGHT	REGISTRATION-No
Mixed Aromatic	64742-95-6	649-356-00-4	R10 Xn; R37 R65 R66	10-15%	-
Hydrocarbons			R67 N; R51/53		
2-Butoxyethanol	111-76-2	603-014-00-0	Xn; R20/21/22 Xi;	5-10%	-
			R36/38		
1-Methoxy-2-	107-98-2	603-064-00-3	R10	5-10%	-
Propanol					
Propan-2-one	67-64-1	200-662-2	R11, R36, R66, R67	40-60%	-
Butane	106-97-8	203-448-7	F+; R12	10-30%	-
Propane	74-98-6	200-827-9	F+; R12	10-30%	=

VOC Content – 55g/L – 58g/L Contains no known PBT's or vPvB's

#### 4. FIRST AID MEASURES

**GENERAL ADVICE:** In all cases of doubt, or when symptoms persist, seek medical attention. Never give

anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or

stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place

in recovery position and seek medical advice.

**SKIN CONTACT:** Remove contaminated clothing immediately and wash affected skin with soap and water.

DO NOT use solvents or thinners as skin cleaning agents.

**EYE CONTACT:** Contact lenses should be removed. Promptly wash eyes with lots of water while lifting

the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

**INGESTION:** If swallowed, seek medical advice immediately and show this container or label. Do not

induce vomiting.

EU regulation 1907/2006/EEC - (REACH)

Page: 2 of 6 **Print Date:** 04/01/2011

#### 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUSING MEDIA: Recommended use: Alcohol resistant foam, carbon dioxide (CO2), dry

powder, water spray. Do not use water jet. Cool containers with spray

water.

EXTINGUISING MEDIA WHICH MUST

NOT BE USED FOR SAFETY REASONS:

**SPECIFIC HAZARDS:** Fire may produce dense black smoke containing hazardous combustion products (see heading 10). Decomposition products may be a hazard to

health. Do not allow run-off from fire fighting to enter drains or water

courses.

SPECIAL PROTECTIVE EQUIPMENT FOR

**FIREFIGHTERS:** 

In the event of fire, wear self contained breathing apparatus.

Do NOT use high pressure inert gas or water jets.

#### **ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: Remove all sources of ignition. Ensure adequate ventilation. Evacuate

personnel to safe areas. Avoid breathing vapours. Refer to protective

measures listed in sections 7 and 8.

DO NOT allow to enter drains or watercourses. If the product enters drains **ENVIRONMENTAL PRECAUTIONS:** 

or sewers, the local water company should be informed immediately. In the case of contamination of streams, rivers or lakes, inform the relevant environment Agency. Vapours are heavier than air and may spread along

floors. Vapours may form explosive mixture with air.

METHODS FOR CLEANING UP: Contain and collect spillage with non-combustible absorbent materials, (e.g.

> sand, earth, vermiculite, diatomaceous earth) and place in a suitable container for disposal in accordance with the waste regulations (see section 13). Clean the spill area preferably with a detergent. Avoid the use of

solvents.

### 7. HANDLING AND STORAGE

HANDLING: Keep, the aerosol in a cool, dry place. Exclude sources of heat, sparks

> and open flame. Do not use sparking tools around aerosols. Avoid skin and eye contact. Avoid inhalation of vapour and spray mist. For personal protection, see section 8. Prevent the creation of flammable pr explosive concentrations of vapour in air and avoid vapour concentrations higher than the occupational exposure limits. Never apply pressure to the aerosol, the aerosol is a pressurised object and may explode if pressure is

applied.

**GENERAL:** The accumulation of vapours in an enclosed space may result in

spontaneous combustion, use only in well ventilated areas. Use responsibly and in the correct manner. Wear the appropriate personal

protective equipment, as outlined in section 8.

**STORAGE** Observe label precautions. Store between 5 and 25°C in a dry, well

> ventilated place away from sources of heat, ignition and direct sunlight. No smoking. Store separately from oxidising agents and strongly alkaline

and strongly acidic materials.

EU regulation 1907/2006/EEC - (REACH)

Page: 3 of 6 Print Date: 04/01/2011

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

### **CHEMICAL NAME:**

Mixed Aromatic Hydrocarbons	8hr TWA <sup>(1)</sup> 25ppm	15min <sup>(2)</sup>	Type (4)(3) Rec	Ref SUP
Mixed Atomatic Hydrocarbons	50mgm <sup>-3</sup>		RCC	301
2-Butoxyethanol	25ppm	50ppm	WEL Sk Bmgv	EH40
1-Methoxy-2-Propanol	100ppm 375mgm <sup>-3</sup>	150ppm 560mgm <sup>-3</sup>	WEL Sk	EH40
Propan-2-one	1810mgm <sup>-3</sup>	3620mgm <sup>-3</sup>	WEL	SUP

- (1) Long term exposure limits 8hr time weighted average
- (2) Short term exposure limit 15 minute reference period
- (3) "Sk" indicates a risk of absorption through the skin.
  "Bmgv" indicates a biological monitoring guidence value.
- (4) "WEL" indicates a Workplace Exposure Limit. WEL's are taken from the current version of EH40 except those marked "SUP" which are assigned by the supplier of the substance.

**ENGINEERING MEASURES:** Provide adequate ventilation. All PPE used to control exposure to hazardous

substances must be selected to meet the requirements of the COSHH

regulations.

## PERSONAL PROTECTION EQUIPMENT:

**RESPIRATORY PROTECTION:** If exposure to hazardous substances identified cannot be controlled by the

provision of local exhaust ventilation and good general extraction, suitable

respiratory protective equipment should be worn.

**HAND PROTECTION:** When skin exposure may occur, advice should be sought from glove

suppliers on appropriate types and usage times for this product. The instructions and information provided by the glove supplier on use, storage, maintenance and replacement must be followed. Barrier creams may help to

protect exposed areas of skin, but are not substitutes for full physical protection. They should not be applied once exposure has occurred.

**EYE PROTECTION:** Eye protection designed to protect against liquid splashes should be worn.

**SKIN & BODY PROTECTION:** Grossly contaminated clothing should be removed and the skin washed with

soap and water or a proprietary skin cleaner.

EU regulation 1907/2006/EEC - (REACH)

Page: 4 of 6 Print Date: 04/01/2011

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**FORM:** Aerosol

**FLASHPOINT:** Not known for blend

COLOUR: Various ODOUR: Aromatic

### 10. STABILITY AND REACTIVITY

STABILITY: Stable under the recommended storage and handling conditions

(see section 7).

**CONDITIONS TO AVOID:** Applying heat or pressure to the aerosol may result in explosion

and fire. Naked flames, smoking, wet and damp storage

conditions and mishandling may also result in explosion and fire.

MATERIALS TO AVOID:

Keep away from oxidising agents, strongly alkaline and strongly

acidic materials in order to avoid exothermic reactions.

HAZARDOUS DECOMPOSTION PRODUCTS: In a fire, hazardous decomposition products such as smoke, carbon

monoxide, carbon dioxide and oxides of nitrogen may be

produced.

#### 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY:** Splashes in the eye may cause irritation and reversible local damage

**LOCAL EFFECTS:** Repeated or prolonged contact with the product may lead to removal of natural fats from

the skin, resulting in non-allergic contact dermatitis and absorption through the skin. Exposure to organic solvent vapours may result in adverse health effects such as irritation of the mucous membrane and the respiratory system and adverse effects on the renal and central nervous systems. Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

SENSITIZATION: CHRONIC TOXICITY:

LONG TERM TOXICITY:

Contains no known category 1 or 2 carcinogens, mutagens or reproductive toxicants

### 12. ECOLOGICAL INFORMATION

**MOBILITY:** 

PERSISTENCE AND DEGRADABILITY:

BIOACCUMULATION: ECOTOXICITY EFFECTS:

No data is available on the product itself. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

This product should not be allowed to enter drains or watercourses or be

deposited where it can affect ground or surface waters. The Air Pollution Control requirements of regulations made under the Environmental Protection Act may apply to the use of this product.

ENDOCRINE DISRUPTING POTENTIAL:

EU regulation 1907/2006/EEC - (REACH)

Page: 5 of 6 Print Date: 04/01/2011

Contains no known substances that require a chemical safety report

### 13. DISPOSAL CONSIDERATIONS

WASTE FROM RESIDUES / UNUSED PRODUCTS:

**CONTAMINATED PACKAGING:** 

Do not allow to enter drains or water courses or dispose of where ground or surface waters may be affected.

Wastes, including emptied aerosols, are controlled wastes and should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using the information provided in this safety data sheet, advice should be obtained from the relevant environment agency whether the special waste regulations apply.

### 14. TRANSPORT INFORMATION

**UN NUMBER:** UN1950 SHIPPING NAME Aerosols

**HAZARD CLASS:** 2.1 (For Sea Transport). Classification code 5f

EmS: F-D, S-U

**CLASS (LQ):** 2 **LABELLING:** 2.1

## 15. REGULATORY INFORMATION

#### **SYMBOLS:**







Irritar

**R-PHRASE(S):** R12 Extremely flammable

R36 Irritating to eyes

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R66 Repeated exposure may cause skin dryness or cracking

R67 Vapours may cause drowsiness and dizziness

**S-PHRASE(S):** S2 Keep out of the reach of children

S9 Keep container in a well ventilated place

S16 Keep away from sources of ignition – no smoking

S23 Do not breathe gas/fumes/vapour/spray

S29/35 Do not empty into drains; dispose of this material and its container in a safe way

Wear suitable protective clothing

S46 If swallowed, seek medical advice immediately and show this container or label

S51 Use only in well-ventilated areas

EU regulation 1907/2006/EEC - (REACH)

Page: 6 of 6 Print Date: 04/01/2011

No chemical safety assessments have been carried out for any of the substances used in this preparation.

### **16. OTHER INFORMATION**

**USES ADVISED AGAINST:** The product should not be used for any other purposes other than its intended use.

Handling, storage and conditions to avoid instructions must be followed at all times.

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemical (Hazard Information and Packaging) Regulations. The information we have provided is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not considered a warranty or quality specification. The information relates only to the material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.